

----- POPULATION ESTIMATES -----

----- Long-Term Care -----

----- Local Health Departments -----

Total 2000 Population				75,560		Community Options and MA Waiver Programs		Per 10,000	
Population per square mile				95				Staffing - FTE	
County ranking in state (1-72)				21				Number	Population
Age	Female	Male	Total	Clients	Costs				
0-14	7,600	8,090	15,690	COP	22	\$14,894	Total staff 26 3.4		
15-19	2,770	2,890	5,670	MA Waiver *			Administrative 6 0.7		
20-24	1,910	1,950	3,860	CIP1A	.	\$0	Professional staff 16 2.1		
25-29	2,050	2,070	4,120	CIP1B	13	\$127,986	Technical/Paraprof. 1 0.1		
30-34	2,460	2,450	4,900	CIP2	8	\$63,248	Support staff 5 0.6		
35-39	3,040	3,070	6,110	COP-W	52	\$293,361	Funding Per capita		
40-44	3,210	3,110	6,320	CSLA	.	\$0	Total \$1,548,007 \$20.49		
45-54	5,150	5,260	10,410	Brain Injury	.	\$0	Local Taxes \$847,805 \$11.22		
55-64	3,460	3,420	6,880	Total COP/Wvrs	70	\$499,490	----- Licensed Establishments -----		
65-74	3,010	2,510	5,520	\$292,250 of the above waiver costs					
75-84	2,630	1,690	4,320	were paid as local match/overmatch					
85+	1,240	510	1,750	using COP funds. This amount is					
Total	38,530	37,030	75,560	not included in above COP costs.					
Age	Female	Male	Total	* Waiver costs reported here					
0-17	9,420	9,960	19,390	include federal funding.					
18-44	13,620	13,670	27,280	Clients	costs				
45-64	8,610	8,680	17,290	Eligible and					
65+	6,880	4,710	11,590	Waiting	151	n/a			
Total	38,530	37,030	75,560	(Family Care not provided in county)					
Poverty Estimates for 1997				Note: Eligible and waiting clients					
Estimate (C.I.+/-)				will be phased into the COP and MA					
All ages	6,242	1,408		Waivers as available.					
	8.1%	(2%)							
Ages 0-17	2,524	638							
	12.0%	(3%)							
----- Employment -----				----- WIC Participants -----					
Average wage for jobs covered				Number					
by unemployment compensation \$32,106				Pregnant/Postpartum 654					
Note: based on place of work				Infants 748					
				Children, age 1-4 901					
				Total 2,303					
				----- Cancer Incidence -----					
				1999					
				Primary Site Number					
				Breast 77					
				Cervical 17					
				Colorectal 55					
				Trachea, Bronchus, Lung 54					
				Prostate 72					
				Other sites 195					
				Total 470					
Labor Force Estimates				Home Health Agencies					
Annual				2					
Average				Patients 1,596					
				Patients per 10,000 pop. 211					
				Nursing Homes					
				7					
				Licensed beds 749					
				Occupancy rate 83.7%					
				Residents on Dec.31 613					
				Residents age 65 or older					
				per 1,000 population 48					

NATALITY

TOTAL LIVE BIRTHS	878
Crude Live Birth Rate	11.6
General Fertility Rate	56.9
Live births with reported congenital anomalies	13 . %

Delivery Type	Births	Percent
Vaginal after previous cesarean	7	1
Forceps	20	2
Other vaginal	651	74
Primary cesarean	123	14
Repeat cesarean	77	9
Other or unknown	0	0

Birthweight	Births	Percent
<1,500 gm	4	0.5
1,500-2,499 gm	40	4.6
2,500+ gm	834	95.0
Unknown	0	0

Birth Order	Births	Percent
First	367	42
Second	293	33
Third	134	15
Fourth or higher	84	10
Unknown	0	0

First Prenatal Visit	Births	Percent
1st trimester	709	81
2nd trimester	145	17
3rd trimester	20	2
No visits	4	<.5
Unknown	0	0

Number of Prenatal Care visits	Births	Percent
No visits	4	<.5
1-4	20	2
5-9	175	20
10-12	438	50
13+	241	27
Unknown	0	0

Marital Status of Mother	Births	Percent
Married	631	72
Not married	247	28
Unknown	0	0

Education of Mother	Births	Percent
Elementary or less	9	1
Some high school	98	11
High school	312	36
Some college	267	30
College graduate	185	21
Unknown	7	1

Smoking Status of Mother	Births	Percent
Smoker	196	22
Nonsmoker	682	78
Unknown	0	0

Race of Mother	Births Percent		Low Birthweight (under 2,500 gm) Births Percent		Trimester of First Prenatal Visit					
					1st Trimester		2nd Trimester		Other/Unknown	
White	833	95	41	4.9	688	83	127	15	18	2
Black	3	<.5	*	.	*	.	*	.	*	.
Other	42	5	2	4.8	20	48	17	40	5	12
Unknown	0	0

Age of Mother	Fertility Births Rate		Low Birthweight (under 2,500 gm) Births Percent		Trimester of First Prenatal Visit					
					1st Trimester		2nd Trimester		Other/Unknown	
<15	1	--	*	.	*	.	*	.	*	.
15-17	25	14	.	.	14	56	8	32	3	12
18-19	67	71	5	7.5	45	67	20	30	2	3
20-24	255	133	15	5.9	206	81	46	18	3	1
25-29	223	109	10	4.5	189	85	30	13	4	2
30-34	209	85	10	4.8	171	82	30	14	8	4
35-39	84	28	3	3.6	72	86	10	12	2	2
40+	14	.	1	7.1	11	79	1	7	2	14
Unknown	0	--

Teenage Births

93 34

* Not reported: age or race category has less than 5 births

----- MORBIDITY -----

REPORTED* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	38
Giardiasis	15
Hepatitis Type A	0
Hepatitis Type B**	<5
Hepatitis NANB/C	<5
Legionnaire's	0
Lyme	30
Measles	***
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	***
Pertussis	***
Salmonellosis	34
Shigellosis	<5
Tuberculosis	<5

* 2000 provisional data

** Includes all positive HBsAg test results

*** Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	100
Genital Herpes	36
Gonorrhea	<5
Syphilis	0

----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	12,438
Non-compliant	101
Percent Compliant	99.2

----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

TOTAL DEATHS	695
Crude Death Rate	920

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	1	.
15-19	2	.
20-34	7	.
35-54	49	215
55-64	42	610
65-74	97	1,757
75-84	224	5,180
85+	267	15,257

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	6	.
Neonatal	4	.
Postneonatal	2	.
Unknown	.	.

Race of Mother

White	5	.
Black	.	.
Other	1	.
Unknown	.	.

Birthweight

<1,500 gm	2	.
1,500-2,499 gm	1	.
2,500+ gm	3	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	7	.
Neonatal	4	.
Fetal	3	.

<u>Selected Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	194	257
Ischemic heart disease	115	152
Cancer (total)	156	206
Trachea/Bronchus/Lung	32	42
Colorectal	18	.
Female Breast	10	.*
Cerebrovascular Disease	51	68
Lower Resp. Disease	46	61
Pneumonia & Influenza	28	37
Accidents	34	45
Motor vehicle	14	.
Diabetes	27	36
Infectious & Parasitic	8	.
Suicide	10	.

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	11	.
Other Drugs	6	.
Both Mentioned	.	.

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	805	10
Alcohol-Related	96	3
With Citation:		
For OWI	60	0
For Speeding	27	1
Motorcyclist	32	2
Bicyclist	27	0
Pedestrian	18	0

HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All					
Total	692	9.2	4.6	\$11,056	\$101
<18	73	3.8	3.2	\$7,245	\$27
18-44	173	6.3	3.8	\$10,986	\$70
45-64	125	7.2	3.8	\$11,315	\$82
65+	321	27.7	5.5	\$11,861	\$328
Injury: Hip Fracture					
Total	88	1.2	6.1	\$13,206	\$15
65+	84	7.2	6.2	\$13,349	\$97
Injury: Poisonings					
Total	37	0.5	1.9	\$4,309	\$2
18-44	17
Psychiatric					
Total	550	7.3	9.8	\$7,020	\$51
<18	145	7.5	13.1	\$8,379	\$63
18-44	248	9.1	6.9	\$4,937	\$45
45-64	68	3.9	11.4	\$7,973	\$31
65+	89	7.7	11.5	\$9,881	\$76
Coronary Heart Disease					
Total	595	7.9	4.2	\$18,827	\$148
45-64	205	11.9	3.4	\$20,573	\$244
65+	369	31.8	4.7	\$18,013	\$573
Malignant Neoplasms (Cancers): All					
Total	361	4.8	5.9	\$12,741	\$61
18-44	29	1.1	3.1	\$6,855	\$7
45-64	117	6.8	5.6	\$13,115	\$89
65+	213	18.4	6.5	\$13,422	\$247
Neoplasms: Female Breast (rates for female population)					
Total	27	0.7	2.3	\$6,258	\$4
Neoplasms: Colo-rectal					
Total	42	0.6	8.5	\$14,874	\$8
65+	31	2.7	9.0	\$15,913	\$43
Neoplasms: Lung					
Total	29	0.4	9.0	\$20,709	\$8
Diabetes					
Total	92	1.2	5.7	\$8,912	\$11
65+	39	3.4	6.8	\$9,312	\$31

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Alcohol-Related					
Total	260	3.4	5.0	\$5,046	\$17
18-44	178	6.5	4.7	\$4,788	\$31
45-64	61	3.5	5.1	\$5,319	\$19
Pneumonia and Influenza					
Total	362	4.8	5.1	\$7,629	\$37
<18	43	2.2	2.4	\$3,185	\$7
45-64	43	2.5	5.0	\$8,544	\$21
65+	251	21.6	5.7	\$8,496	\$184
Cerebrovascular Disease					
Total	255	3.4	5.2	\$10,456	\$35
45-64	55	3.2	5.2	\$14,042	\$45
65+	195	16.8	5.3	\$9,501	\$160
Chronic Obstructive Pulmonary Disease					
Total	210	2.8	3.8	\$5,839	\$16
<18	26	1.3	1.9	\$2,957	\$4
18-44	22	0.8	3.2	\$4,562	\$4
45-64	36	2.1	3.6	\$6,133	\$13
65+	126	10.9	4.3	\$6,573	\$71
Drug-Related					
Total	52	0.7	9.2	\$7,879	\$5
18-44	26	1.0	8.8	\$7,601	\$7
Total Hospitalizations					
Total	9,566	126.6	4.4	\$8,372	\$1,060
<18	1,587	81.9	3.2	\$3,697	\$303
18-44	2,450	89.8	3.5	\$5,855	\$526
45-64	1,773	102.5	4.4	\$10,895	\$1,117
65+	3,756	323.9	5.4	\$10,798	\$3,497

PREVENTABLE HOSPITALIZATIONS*

	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Total	1,307	17.3	4.4	\$6,546	\$113
<18	155	8.0	2.0	\$2,608	\$21
18-44	167	6.1	3.7	\$5,499	\$34
45-64	192	11.1	4.4	\$7,169	\$80
65+	793	68.4	5.0	\$7,385	\$505

* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.